

Bitzer 4PCS-10.2Y-40P (x3) & 4CC-6.2Y-40S (x2)

Specifications

Merk	Bitzer
Type	4PCS-10.2Y-40P (x3) & 4CC-6.2Y-40S (x2)
Koudemiddel	Freon
kW at -5°C/+40°C	133,1
kW at -10°C/+40°C	114,3
kW at -20°C/+40°C	74,1
kW at -30°C/+40°C	44,6
kW at -40°C/+40°C	23,2
kW at -45°C/+40°C	14,9
Op stalen frame	✓
Druk veiligheids schakelaars	✓
Manometers	✓
Filter droger	✓
Kijk glas	✓
Schakelkast	✓
m3 / h	210,5 m³/h - 1450 RPM & 253,9 m³/h - 1750 RPM
Opmerkingen	Y.o.b. 2012
Package / Rack	✓
Afmetingen	2750x900x1950 mm (LxWxH)
Stock	1



Description

Used Bitzer 4PCS-10.2Y-40P (x3) & 4CC-6.2Y-40S (x2)

Gebruikt Bitzer compressorrek op Freon. Compleet met Bitzer 4PCS-10.2Y-40P (x3) en 4CC-6.2Y-40S (x2) semi-hermetische zuigercompressoren, vloeistofleidingfilterdroger, druk- en veiligheidsschakelaars, kijkglazen en een bedieningskast met x2 Danfoss-displays.





