


Sabroe SAB 128 HF MK3 man VI

Specifications

Merk	Sabroe
Type	SAB 128 HF MK3 man VI
Koudemiddel	Freon
kW at +10°C/+40°C	538,5
kW at 0°C/+40°C	383,5
kW at -5°C/+40°C	320,2
kW at -10°C/+40°C	265,1
kW at -20°C/+40°C	227,0
kW at -30°C/+40°C	152,2
Elektromotor Specs	50 Hz - 110 kW - 2960 RPM
Onbelaste aanloop	✓
Capaciteits Controle	✓
Op stalen frame	✓
Manometers	✓
Olie afscheider	✓
Kijk glas	✓
Schakelkast	✓
m ³ / h	454 m ³ /h
Opmerkingen	Y.o.b. 2000
Afmetingen	2400x1700x1950 mm (LxWxH)
Stock	2



Description

Used Sabroe SAB 128 HF MK3 man VI

Gebruikte Sabroe SAB 128 HF schroefcompressor op Freon. Compleet met een Leroy Somer PLS250MP-T elektromotor - 50 Hz - 110 kW - 2960 RPM, Sabroe OHU 4119 olieafscheider met een volume van 270 liter, Sabroe OWSG 1619E4 oliekoeler, oliepomp, druk- en veiligheidsmeters en een schakelkast. De compressor heeft een slagvolume van 454 m³/h.



