

# Güntner GCHC RD

## 080.1823-55-0003159M

### Specifications

|                         |                                                                                            |
|-------------------------|--------------------------------------------------------------------------------------------|
| Merk                    | Güntner                                                                                    |
| Type                    | GCHC RD<br>080.1823-55-0003159M                                                            |
| Product type            | Drycooler                                                                                  |
| Capaciteit kW           | 404,0*                                                                                     |
| Aantal Ventilatoren     | 6                                                                                          |
| Toerental Ventilatoren  | 1100                                                                                       |
| Koudemiddel             | Glycol                                                                                     |
| diameter ventilatoren Ø | 800 mm                                                                                     |
| Afmetingen              | 3970x2100x1260 mm<br>(LxWxH)                                                               |
| Opmerkingen             | *Capacity is based on a medium inlet temperature of 60°C and an outlet temperature of 40°C |
| Stock                   | 1                                                                                          |



### Description

#### Used Güntner GCHC RD 080.1823-55-0003159M

Gebruikte Güntner GCHC RD 080.1823-55-0003159M droge koeler. Compleet met 6 Ziehl-Abegg ventilatoren - 50/60 Hz - 3,10 kW - 1100 RPM met een diameter van 800 mm. De huidige condensor wordt omgebouwd tot een droge koeler en de bijbehorende flenzen worden gemonteerd. De droge koeler heeft een capaciteit van 404,0kW met een medium inlaattemperatuur van 60°C en een uitlaattemperatuur van 40°C.





