

Bitzer 4H-25.2Y-40P

Specifications

Merk	Bitzer
Type	4H-25.2Y-40P
Koudemiddel	Freon
kW at 0°C/+40°C	59,4
kW at -5°C/+40°C	49,4
kW at -10°C/+40°C	40,6
kW at -20°C/+40°C	26,4
kW at -30°C/+40°C	15,9
kW at -40°C/+40°C	8,3
Op stalen frame	✓
Druk veiligheids	✓
schakelaars	
Manometers	✓
Vloeistof tank	✓
Vloeistof tank ltr.	30
Suction accumulator	✓
Olie afscheider	✓
Filter droger	✓
Kijk glas	✓
m ³ / h	73,7 m ³ /h at 50 Hz / 88,9 m ³ /h at 60 Hz
Opmerkingen	Y.o.b. 2006
Afmetingen	1850x1200x1100 mm (LxWxH)
Stock	1



Description

Used Bitzer 4H-25.2Y-40P

Gebruikte Bitzer 4H-25.2Y-40P semi-hermetische zuigercompressor op Freon. Compleet met een Bitzer vloeistofontvanger met een volume van 30 liter, zuigaccumulator, olieafscheider, druk- en veiligheidsschakelaars/meters en een vloeistofleidingfilterdroger. De compressor heeft een slagvolume van 73,7 m³/h bij 50 Hz / 88,9 m³/h bij 60 Hz.





