

## Bock HGX7/1860-4 S

### Specifications

|                         |                                                                   |
|-------------------------|-------------------------------------------------------------------|
| Merk                    | Bock                                                              |
| Type                    | HGX7/1860-4 S                                                     |
| Koudemiddel             | Freon                                                             |
| kW at +10°C/+40°C       | 157,4 (+7,5°C/+40°C)                                              |
| kW at 0°C/+40°C         | 122,0                                                             |
| kW at -5°C/+40°C        | 100,3                                                             |
| kW at -10°C/+40°C       | 82,5                                                              |
| kW at -20°C/+40°C       | 53,4                                                              |
| kW at -30°C/+40°C       | 31,8                                                              |
| Olie level systeem AC&R | ✓                                                                 |
| Filter droger           | ✓                                                                 |
| Kijk glas               | ✓                                                                 |
| m <sup>3</sup> / h      | 50 Hz - 161,4 m <sup>3</sup> /h / 60 Hz - 193,7 m <sup>3</sup> /h |
| Afmetingen              | 800x560x930 mm (LxWxH)                                            |
| Stock                   | 3                                                                 |



### Description

#### Used Bock HGX7/1860-4 S

Gebruikte Bock HGX7/1860-4 S semi-hermetische zuigercompressor op Freon. Compleet met kijkglas, Castel 4411/17C filterdroger en S-9510 oliepeilsysteem AC&R. De compressor heeft een cilinderinhoud van 161,4 m<sup>3</sup>/h bij 50 Hz en 193,7 m<sup>3</sup>/h bij 60 Hz.





