

Bitzer 6G-40.2Y-40P

Specifications

Merk	Bitzer
Type	6G-40.2Y-40P
Koudemiddel	Freon
kW at 0°C/+40°C	102,6
kW at -5°C/+40°C	85,4
kW at -10°C/+40°C	70,3
kW at -20°C/+40°C	46,0
kW at -30°C/+40°C	28,0
kW at -40°C/+40°C	14,9
Op stalen frame	✓
Druk veiligheids	✓
schakelaars	
Manometers	✓
Vloeistof tank	✓
Vloeistof tank ltr.	160 l
Olie afscheider	✓
Filter droger	✓
Kijk glas	✓
m ³ / h	50 Hz - 126,8 m ³ /h / 60 Hz - 152,9 m ³ /h
Opmerkingen	Y.o.b. 2003
Afmetingen	1400x870x2420 mm (LxWxH)
Stock	1



Description

Used Bitzer 6G-40.2Y-40P

Gebruikte Bitzer 6G-40.2Y-40P semi-hermetische zuigercompressor. Compleet met een Bitzer FS1602 vloeistofvat met een inhoud van 160 liter, Henry Technologies S-5694-CE olieafscheider, druk- en veiligheidsschakelaars/meters, Danfoss vloeistofleidingfilterdroger en een kijkglas. De capaciteit van de compressor bedraagt 126,8 m³/u bij 50 Hz en 152,9 m³/u bij 60 Hz.





