

Bitzer 6J-22.2Y-40P (x2)

Specifications

Merk	Bitzer
Type	6J-22.2Y-40P (x2)
Koudemiddel	Freon
kW at -5°C/+40°C	127,8
kW at -10°C/+40°C	105,2
kW at -20°C/+40°C	68,8
kW at -30°C/+40°C	41,8
kW at -40°C/+40°C	22,8
kW at -45°C/+40°C	15,0
Op stalen frame	✓
Druk veiligheids	✓
schakelaars	
Manometers	✓
Vloeistof tank	✓
Vloeistof tank ltr.	160
Olie afscheider	✓
Olie level systeem AC&R	✓
Filter droger	✓
m3 / h	50 Hz - 190,6 m ³ /h & 60 Hz - 230 m ³ /h
Opmerkingen	Y.o.b. 2011
Package / Rack	✓
Afmetingen	2210x1000x2400 mm (LxWxH)
Stock	1



Description

Used Bitzer 6J-22.2Y-40P (x2)

Gebruikt Bitzer 6J-22.2Y-40P (x2) compressorrack op Freon. Compleet met een Bitzer FS1602 vloeistofvat met een inhoud van 160 liter, olieafscheider, oliereservoir, SWEP B60Hx6/1P-SC-S gesoldeerde warmtewisselaar voor warmteterugwinning, Wilo TOP-S25/5 waterpomp, expansievat en druk- en veiligheidsschakelaars/manometers. De compressor heeft een slagvolume van 190,6 m³/h bij 50 Hz en 230 m³/h bij 60 Hz.









