

Bitzer 4EC-4.2Y-40S Condensing unit

Specifications

Merk	Bitzer
Type	4EC-4.2Y-40S Condensing unit
Koudemiddel	Freon
kW at -5°C/+40°C	14,4
kW at -10°C/+40°C	11,9
kW at -20°C/+40°C	7,7
kW at -30°C/+40°C	4,7
kW at -40°C/+40°C	2,4
kW at -45°C/+40°C	1,6
Op stalen frame	✓
Druk veiligheids schakelaars	✓
Vloeistof tank	✓
Vloeistof tank ltr.	13
Kijk glas	✓
Schakelkast	✓
m ³ / h	22,7 m ³ /h at 50 Hz & 27,4 m ³ /h at 60 Hz
Opmerkingen	Y.o.b. 2007
Condensing Unit	✓
Afmetingen	1510x830x680 mm (LxWxH)
Stock	1



Description

Used Bitzer 4EC-4.2Y-40S Condensing unit

Gebruikte condensorunit op Freon. Compleet met een Bitzer 4EC-4.2Y-40S semi-hermetische zuigercompressor, condensor met 1 ventilator, Frigo-mec RV-220x427 vloeistofvat met een inhoud van 13 liter, druk- en veiligheidsschakelaar, filterdroger voor vloeistofleiding en een schakelkast. De compressor heeft een slagvolume van 22,7 m³/h bij 50 Hz en 27,4 m³/h bij 60 Hz.



