

Bitzer 6GE-34Y-40P

Specifications

Merk	Bitzer
Type	6GE-34Y-40P
Koudemiddel	Freon
kW at 0°C/+40°C	105,2
kW at -5°C/+40°C	87,9
kW at -10°C/+40°C	72,9
kW at -20°C/+40°C	48,6
kW at -30°C/+40°C	30,6
kW at -40°C/+40°C	17,7
kW at -45°C/+40°C	12,7
Op stalen frame	✓
Druk veiligheids schakelaars	✓
Manometers	✓
Vloeistof tank	✓
Filter droger	✓
Kijk glas	✓
Schakelkast	✓
m ³ / h	127 m ³ /h at 50 Hz & 153 m ³ /h at 60 Hz
Opmerkingen	Y.o.b. 2016
Condensing Unit	✓
Afmetingen	5200x1800x1700 mm (LxWxH)
Stock	1



Description

Used Bitzer 6GE-34Y-40P

Gebruikte condensorunit op Freon. Compleet met een Bitzer 6GE-34Y-40P semi-hermetische zuigercompressor, condensor met 6 EBM-Papst S3G500-SM06-H9 ventilatoren - 50/60 Hz - 0,50 kW - 1260 tpm - diameter 500 mm, vloeistofvat, druk- en veiligheidsschakelaars/manometers en een schakelkast. De compressor heeft een slagvolume van 127 m³/h bij 50 Hz en 153 m³/h bij 60 Hz.





