

Carlyle / Carrier 06 VM 721 E Condensing Unit

Specifications

Merk	Carlyle / Carrier
Type	06 VM 721 E Condensing Unit
Koudemiddel	Freon
kW at +10°C/+40°C	34,2 (+7,5°C/+40°C)
kW at 0°C/+40°C	25,7
kW at -5°C/+40°C	21,0
kW at -10°C/+40°C	17,1
kW at -20°C/+40°C	10,9
kW at -30°C/+40°C	6,4
kW at -40°C/+40°C	2,8
Druk veiligheids schakelaars	✓
Olie afscheider	✓
Kijk glas	✓
Schakelkast	✓
m ³ / h	32,8 m ³ /h - 50 Hz
Condensing Unit	✓
Afmetingen	1200x900x520 mm (LxWxH)
Stock	1



Description

Used Carlyle / Carrier 06 VM 721 E Condensing Unit

Gebruikte Carrier watergekoelde condensorunit op Freon. Compleet met een Carrier 06 VM 721 E semi-hermetische zuigercompressor, Bitzer K203H mantel- en buiscondensor, olieafscheider, druk- en veiligheidsschakelaars en een schakelkast. De compressor heeft een slagvolume van 32,8 m³/h bij 50 Hz.





