

Sabroe HPO 28

Specifications

Merk	Sabroe
Type	HPO 28
Koudemiddel	CO2
Refrigerant type	R744
kW at -20°C/+40°C	611,4*
kW at -30°C/+40°C	418,1*
kW at -40°C/+40°C	271,1*
Elektromotor Specs	50 Hz - 132 kW - 1487 RPM
Capaciteits Controle	✓
Op stalen frame	✓
Druk veiligheids schakelaars	✓
Olie afscheider	✓
Kijk glas	✓
Magneet Afsluiter	✓
Schakelkast	✓
m3 / h	233
Opmerkingen	Y.o.b. 2012
Opmerkingen	*Capacity based on a condensing temperature of 0°C
Afmetingen	2500x950x1700 mm (LxWxH)
Stock	2



Description

Used Sabroe HPO 28

Gebruikte Sabroe HPO 28 zuigercompressor op R744 (CO2). Compleet met een ABB M2BAT 315 SMB 4 elektromotor - 50 Hz - 132 kW - 1487 tpm, Sabroe OVUR 4113D olieafscheider met een inhoud van 158 liter en een Unisab 3-regelaar. De compressor heeft een slagvolume van 233 m³/u. *Capaciteit gebaseerd op een condensatietemperatuur van 0 °C.





