

Aermec ANL030°A°°°°°

Specifications

Merk	Aermec
Type	ANL030°A°°°°°
Product type	Air Cooled Chiller
Capaciteit kW	7,5
Capaciteit Tons	2,1
Koudemiddel	Freon
Koudemiddel Type	R410A
Pump	✓
Gewicht in kg.	103
Afmetingen	1150x400x1020 mm (LxWxH)
Compressor(s) type & model	x1 Copeland ZP32K3ETFD 400/3
Display	Aermec display
Number of fans	1
Fan specifications	50/60 Hz - 0,14/0,19 kW - 870/930 RPM
Opmerkingen	Y.o.b. 2013
Stock	1




Description

Used Aermec ANL030°A°°°°°

Gebruikte Aermec ANL030°A°°°°° luchtgekoelde chiller op Freon R410A. Compleet met 1 Copeland ZP32K3ETFD 400/3 scrollcompressor, condensator met 1 Ebm-papst A6E450-AQ15-12 ventilator - 50/60 Hz - 0,14/0,19 kW - 870/930 tpm, coaxiale verdampers, Wilo TOP-RL25/8,5AE waterpomp, Zilmet expansievat en een schakelkast met Aermec display.



AERMEC		AERMEC S.p.A. Formigosa 37040-Beynacque (VI)-ITALIA		EUROVENT BEST IN CLASS PERFORMANCE		CE	
ANL030°A°°°°°				Made in Italy			
3N~400V 50 Hz		N° 1303005163960002		comm/vers 5		IP X4 P. date 2013	
30-35 °C		40-45 °C		47-55 °C		12-7 °C	
7/6°C (DB/WB)		7/6°C (DB/WB)		7/6°C (DB/WB)		35 °C	
PH[kW]	0.00	PH[kW]	0.00	PH[kW]	0.00	PC[kW]	7.50
PE[kW]	0.00	PE[kW]	0.00	PE[kW]	0.00	PE[kW]	2.61
COP[W/W]	0.0	COP[W/W]	0.0	COP[W/W]	0.0	EER[W/W]	2.87
In[A]	0.00	In[A]	0.00	In[A]	0.00	In[A]	5.70
RES EL / EL HEATER	[kW]	0.00	Is[A]	37	Imax[A]	7.70	
RES EL / EL HEIZUNG	[A]	0.00	R410A	[Kg]	1.56		
TS (HP/LP) [°C]	Min -10 / -16	PS (HP/LP) [bar]	42 / 25	Versione SW: 4.4.2			
	Max 120 / 52						
							
ANL030°A°°°°°-1303005163960002							



