

# Bock HGX12P/60-4 S Water-cooled condensing unit

## Specifications

Merk	Bock
Type	HGX12P/60-4 S Water-cooled condensing unit
Koudemiddel	Freon
Refrigerant type	R410A
kW at +10°C/+40°C	8,8*
kW at 0°C/+40°C	6,0*
kW at -5°C/+40°C	4,9*
kW at -10°C/+40°C	4,0*
kW at -20°C/+40°C	2,4*
kW at -30°C/+40°C	1,8* (-25°C/+40°C)
Op stalen frame	✓
Druk veiligheids schakelaars	✓
Manometers	✓
Filter droger	✓
Kijk glas	✓
Schakelkast	✓
m <sup>3</sup> / h	5,4 at 50 Hz
Opmerkingen	*Capacity based on Freon type: R410a
Condensing Unit	✓
Afmetingen	610x930x1550 mm (LxWxH)
Stock	1



## Description

### Used Bock HGX12P/60-4 S Water-cooled condensing unit

Gebruikte Bock watergekoelde condensorunit op Freon. Compleet met een Bock HGX12P/60-4 S semi-hermetische compressor, Bitzer K073H mantel- en buiscondensor, filterdroger voor vloeistofleiding, druk- en veiligheidsschakelaars/manometers, kijkglas en een schakelkast met een Merkurs Mk3 8-2/5M display. De compressor heeft een slagvolume van 5,4 m<sup>3</sup>/h bij 50 Hz.





