

Carlyle / Carrier 06TUA554SW1C

Specifications

Merk	Carlyle / Carrier
Type	06TUA554SW1C
Koudemiddel	Freon
Refrigerant type	R134a
kW at +10°C/+40°C	795,8* (12,8°C/+43,3°C)
kW at 0°C/+40°C	541,6* (1,7°C/+43,3°C)
kW at -5°C/+40°C	435,5* (-3,9°C/+43,3°C)
kW at -10°C/+40°C	342,7* (-9,4°C/+43,3°C)
kW at -20°C/+40°C	262,7* (-15°C/+43,3°C)
Vloeistof tank	✓
Vloeistof tank ltr.	221
Filter droger	✓
Magneet Afsluiter	✓
m3 / h	928 at 2900/3500 RPM
Opmerkingen	*Capacity based on Freon type: R134a
Afmetingen	1700x1400x730 mm (LxWxH)
Stock	2



Description

Used Carlyle / Carrier 06TUA554SW1C

Gebruikte Carlyle / Carrier 06TUA554SW1C semi-hermetische schroefcompressor op Freon type R134a. Compleet met Carrier 00PSG000252301A vloeistofketel met een inhoud van 221 liter en 2 filterdrogers voor de vloeistofleiding. De compressor heeft een slagvolume van 928 m³/u bij 2900/3500 tpm.



