

Bitzer 4N-20.2 Y (x3)

Specifications

Merk	Bitzer
Type	4N-20.2 Y (x3)
Koudemiddel	Freon
kW at 0°C/+40°C	137,4
kW at -5°C/+40°C	114,3
kW at -10°C/+40°C	93,9
kW at -20°C/+40°C	61,2
kW at -30°C/+40°C	37,2
kW at -40°C/+40°C	19,2
Op stalen frame	✓
Druk veiligheids	✓
schakelaars	
Manometers	✓
Vloeistof tank	✓
Vloeistof tank ltr.	7,4
Olie afscheider	✓
Olie level systeem AC&R	✓
Filter droger	✓
Kijk glas	✓
m ³ / h	50 Hz - 168,3 m ³ /h & 60 Hz - 203,1 m ³ /h
Package / Rack	✓
Afmetingen	2115x1500x1200 mm (LxWxH)
Stock	1



Description

Used Bitzer 4N-20.2 Y (x3)

Gebruikte Bitzer 4N-20.2 Y (x3) semi-hermetische zuigercompressoren op Freon. Compleet met een Carly HCYR 81 olieketel, Temprite 926 L olieafscheider, druk- en veiligheidsschakelaars/meters, oliepeilsystemen AC&R en een filterdroger. De compressoren hebben een totale capaciteit van 168,3 m³/u bij 50 Hz en 203,1 m³/u bij 60 Hz.





