

# Bitzer 66G-60.2Y / 6G-30.2Y (x1) & 6GE-34Y-40P (x1)

## Specifications

Merk	Bitzer
Type	66G-60.2Y / 6G-30.2Y (x1) & 6GE-34Y-40P (x1)
Koudemiddel	Freon
kW at -5°C/+40°C	168,0
kW at -10°C/+40°C	138,6
kW at -20°C/+40°C	91,1
kW at -30°C/+40°C	55,8
kW at -40°C/+40°C	30,3
kW at -45°C/+40°C	20,4
Onbelaste aanloop	✓
Capaciteits Controle	✓
Op stalen frame	✓
Druk veiligheids schakelaars	✓
Kijk glas	✓
m <sup>3</sup> / h	253,6
Opmerkingen	Y.o.b. 2013 (s.nr: 1684613139)
Gewicht in kg.	491
Afmetingen	1700x600x610 mm (LxWxH)
Stock	1



## Description

### Used Bitzer 66G-60.2Y / 6G-30.2Y (x1) & 6GE-34Y-40P (x1)

Gebruikte Bitzer 66G-60.2Y / 6G-30.2Y (x1) & 6GE-34Y-40P (x1) semi-hermetische reciprocating tandemcompressor op freon. Compleet met drukbeveiliging en kijkglazen. De compressor heeft een slagvolume van 253,6 m<sup>3</sup>/h bij 50 Hz en 305,8 m<sup>3</sup>/h bij 60 Hz.



