


Bitzer 66H-50.2 Y / 6H-25.2 Y (x2)

Specifications

Merk	Bitzer
Type	66H-50.2 Y / 6H-25.2 Y (x2)
Koudemiddel	Freon
kW at -5°C/+40°C	149,3
kW at -10°C/+40°C	123,1
kW at -20°C/+40°C	80,7
kW at -30°C/+40°C	49,4
kW at -40°C/+40°C	26,9
kW at -45°C/+40°C	18,3
Onbelaste aanloop	✓
Op stalen frame	✓
Druk veiligheids schakelaars	✓
Kijk glas	✓
m ³ / h	221
Gewicht in kg.	483
Afmetingen	1600x550x850 mm (LxWxH)
Stock	1



Description

Used Bitzer 66H-50.2 Y / 6H-25.2 Y (x2)

Gebruikte Bitzer 66H-50.2 Y semi-hermetische zuigercompressor op Freon. Compleet met een Bitzer 6H-25.2 Y (x2) semi-hermetische zuigercompressoren, 2 Ziehl-Abegg FE031-4DZ.0C.3 ventilatoren - 0,12/0,19 kW - 1410/1670 tpm - 50/60 Hz, drukbeveiligingen en kijkglazen. De compressor heeft een slagvolume van 221,0 m³/h bij 50 Hz en 266,6 m³/h bij 60 Hz.

