


Bitzer 4PCS-15.2Y-40P (x2) / 44PCS-30.2Y-40P

Specifications

Merk	Bitzer
Type	4PCS-15.2Y-40P (x2) / 44PCS-30.2Y-40P
Koudemiddel	Freon
kW at 0°C/+40°C	80,0
kW at -5°C/+40°C	66,2
kW at -10°C/+40°C	54,2
kW at -20°C/+40°C	34,7
kW at -30°C/+40°C	20,4
kW at -40°C/+40°C	10,0
kW at -45°C/+40°C	6,1
Op stalen frame	✓
Druk veiligheids schakelaars	✓
Manometers	✓
Vloeistof tank	✓
Vloeistof tank ltr.	56
Suction accumulator	✓
Olie afscheider	✓
Filter droger	✓
Kijk glas	✓
Schakelkast	✓
m ³ / h	97 m ³ /h at 50 Hz & 117 m ³ /h at 60 Hz
Opmerkingen	Y.o.b. 2008



Package / Rack	✓
Afmetingen	1500x900x1800 mm (LxWxH)
Stock	1

Description

Used Bitzer 4PCS-15.2Y-40P (x2) / 44PCS-30.2Y-40P

Gebruikte Bitzer 4PCS-15.2Y-40P (x2) / 44PCS-30.2Y-40P semi-hermetische reciprocating tandemcompressor op Freon. Compleet met zuigaccumulator, olieafscheider, Bitzer F562N vloeistofvat met een inhoud van 56 liter, filterdroger voor vloeistofleiding, druk- en veiligheidsschakelaars en een schakelkast.



