

# York / Frick SGC 2313 / SAB 233 S (60 Hz)

## Specifications

Merk	York / Frick
Type	SGC 2313 / SAB 233 S (60 Hz)
Koudemiddel	NH 3 (ammonia)
kW at -5°C/+40°C	1351,0*
Onbelaste aanloop	✓
Capaciteits Controle	✓
Op stalen frame	✓
Olie afscheider	✓
Kijk glas	✓
m <sup>3</sup> / h	2239 m <sup>3</sup> /h at 4500 RPM
Opmerkingen	Y.o.b. 2007
Opmerkingen	*Capacity based on (-6,7°C/35°C)
Afmetingen	3500x1550x2570 mm (LxWxH)
Stock	1



## Description

### Used York / Frick SGC 2313 / SAB 233 S (60 Hz)

Gebruikte Frick / York SGC 2313 - Sabroe SAB 233 S schroefcompressor skid op R717 (ammoniak). Compleet met een Schorch DQ7250S-PB83P-Z elektromotor - 60 Hz - 110 kW - 3550 tpm met extra koeling, Sabroe OHU 07629 olieafscheider met een inhoud van 1371 liter, Sabroe OF 2111 oliefilter, Vahterus PSHE 3HH-66/2/1 Q-plate oliekoeler, oliepomp en een Unisab 3 regelaar. De compressor heeft een slagvolume van 2239 m<sup>3</sup>/u. Capaciteit van 1351 kW bij -6,7 °C/+35 °C.









