

Bitzer 4T-8.2Y (x2)

Specifications

Merk	Bitzer
Type	4T-8.2Y (x2)
Koudemiddel	Freon
kW at -5°C/+40°C	54,3
kW at -10°C/+40°C	44,7
kW at -20°C/+40°C	29,1
kW at -30°C/+40°C	17,7
kW at -40°C/+40°C	9,5
Capaciteits Controle	✓
Op stalen frame	✓
Druk veiligheids	✓
schakelaars	
Manometers	✓
Vloeistof tank	✓
Vloeistof tank ltr.	20 & 25
Suction accumulator	✓
Kijk glas	✓
Magneet Afsluiter	✓
m3 / h	50 Hz - 78,8 m ³ /h & 60 Hz - 94,4 m ³ /h
Package / Rack	✓
Afmetingen	1560x870x1560 mm (LxWxH)
Stock	1



Description

Used Bitzer 4T-8.2Y (x2)

Gebruikte Bitzer 4T-8.2Y (x2) semi-hermetische zuigercompressor met freon-rack. Elke compressor heeft een eigen Bitzer FS-vloeistofvat, zuigaccumulator, filterdroger en druk- en veiligheidsschakelaars/meters. De compressoren hebben een totale capaciteit van 78,8 m³/u bij 50 Hz en 94,4 m³/u bij 60 Hz. Let op: de compressoren hebben een eigen circuit, maar het is mogelijk om er zelf een te maken. De capaciteiten zijn gebaseerd op de combinatie van beide compressoren.





