

Bitzer 6FE-40Y-40P

Specifications

| | |
|---------------------------------|--|
| Merk | Bitzer |
| Type | 6FE-40Y-40P |
| Koudemiddel | Freon |
| kW at 0°C/+40°C | 77,5 |
| kW at -5°C/+40°C | 62,1 |
| kW at -10°C/+40°C | 49,1 |
| kW at -20°C/+40°C | 29,1 |
| Op stalen frame | ✓ |
| Druk veiligheids schakelaars | ✓ |
| Manometers | ✓ |
| Vloeistof tank | ✓ |
| Vloeistof tank ltr. | 160 |
| Kijk glas | ✓ |
| m ³ / h | 50 Hz - 152,7 m ³ /h / 70 Hz - 215,9 m ³ /h |
| Opmerkingen | Y.o.b. 2010 |
| Afmetingen | 1750x850x1700 mm (LxWxH) |
| Stock | 1 |



Description

Used Bitzer 6FE-40Y-40P

Gebruikte Bitzer 6FE-40Y-40P semi-hermetische zuigercompressor op Freon. Compleet met een Bitzer F1602N vloeistofvat met een inhoud van 160 liter, druk- en veiligheidsschakelaars/meters. De compressor heeft een slagvolume van 152,7 m³/u bij 50 Hz en 215,9 m³/u bij 70 Hz.





