

Tecumseh SILAG4546ZTZ

Specifications

| | |
|------------------------------|-----------------------------|
| Merk | Tecumseh |
| Type | SILAG4546ZTZ |
| Koudemiddel | Freon |
| kW at +10°C/+40°C | 9,4* |
| kW at 0°C/+40°C | 6,9* |
| kW at -5°C/+40°C | 5,8* |
| kW at -10°C/+40°C | 4,6* |
| kW at -20°C/+40°C | 2,6* |
| Op stalen frame | ✓ |
| Druk veiligheids schakelaars | ✓ |
| Vloeistof tank | ✓ |
| Filter droger | ✓ |
| Kijk glas | ✓ |
| Schakelkast | ✓ |
| Opmerkingen | Y.o.b. 2019 |
| Gewicht in kg. | 128 kg |
| Afmetingen | 1250x660x1480 mm (LxWxH) |
| Stock | 1 |



Description

Used Tecumseh SILAG4546ZTZ

Gebruikte Tecumseh SILAG4546ZTZ condensatie-unit op Freon. Compleet met een Tecumseh TAG4546Z zuigercompressor, condensator met 2 ventilatoren die een totale luchtstroom van 5400 m³/h produceren, vloeistofreservoir, vloeistofleidingfilterdroger en een druk- en veiligheidsschakelaar.



