

## Bitzer 6GE-34Y-40P (x2)

### Specifications

Merk	Bitzer
Type	6GE-34Y-40P (x2)
Koudemiddel	Freon
kW at 0°C/+40°C	210,4
kW at -5°C/+40°C	175,8
kW at -10°C/+40°C	145,8
kW at -20°C/+40°C	97,2
kW at -30°C/+40°C	61,2
kW at -40°C/+40°C	35,4
kW at -45°C/+40°C	25,4
Op stalen frame	✓
Druk veiligheids schakelaars	✓
Manometers	✓
Vloeistof tank	✓
Vloeistof tank ltr.	228
Olie afscheider	✓
Olie level systeem AC&R	✓
Filter droger	✓
Kijk glas	✓
Magneet Afsluiter	✓
m <sup>3</sup> / h	254
Opmerkingen	Y.o.b. 2014
Package / Rack	✓
Afmetingen	2250x940x2050 mm (LxWxH)
Stock	1



### Description

#### Used Bitzer 6GE-34Y-40P (x2)

Gebruikte Bitzer 6GE-34Y-40P (x2) semi-hermetische zuigercompressorinstallatie op Freon. Compleet met een Bitzer vloeistofreservoir met een volume van 228 liter, Henry Technologies S-5190-CE olieafscheider, Henry Technologies S-9109-CE oliereservoir, drukschakelaars/manometers en kijkglazen. De compressoren hebben een totale verplaatsing van 254,0 m<sup>3</sup>/h bij 50 Hz en 306,0 m<sup>3</sup>/h bij 60 Hz.







