

## Dorin K 500CC-02 (x2)

### Specifications

|                     |  |
|---------------------|--|
| Merk                | Dorin  |
| Type                | K 500CC-02 (x2)                                      |
| Koudemiddel         | Freon  |
| kW at +10°C/+40°C   | 59,1*  |
| kW at 0°C/+40°C     | 42,4*  |
| kW at -5°C/+40°C    | 35,6*  |
| kW at -10°C/+40°C   | 29,4*  |
| Op stalen frame     | ✓  |
| Vloeistof tank      | ✓  |
| Vloeistof tank ltr. | 60   |
| Olie afscheider     | ✓  |
| Filter droger       | ✓  |
| Kijk glas           | ✓  |
| m <sup>3</sup> / h  | 46,7   |
| Opmerkingen         | *Capacity based at a condensing temperature of +35°C |
| Package / Rack      | ✓  |
| Afmetingen          | 1450x1100x1400 mm (LxWxH)                            |
| Stock               | 1  |



### Description

#### Used Dorin K 500CC-02 (x2)

Gebruikte Dorin K 500CC-02 (x2) semi-hermetische zuigercompressorinstallatie op Freon. Compleet met Frigomec FK 60 vloeistofreservoir met een volume van 60 liter, Henry Technologies S-5692 olieafscheider, Carly HCYR 80 oliereservoir en vloeistofleidingfilterdroger. De compressoren hebben een totale verplaatsing van 46,7 m<sup>3</sup>/h.





