

Dorin K1500CB-01 (x2) & H2000CS (x1)

Specifications

Merk	Dorin
Type	K1500CB-01 (x2) & H2000CS (x1)
Koudemiddel	Freon
Refrigerant type	R404A
kW at -5°C/+40°C	166,4 (-5°C/+35°C)
kW at -10°C/+40°C	137,4 (-10°C/+35°C)
kW at -20°C/+40°C	90,3 (-20°C/+35°C)
kW at -30°C/+40°C	55,8 (-30°C/+35°C)
kW at -40°C/+40°C	31,1 (-40°C/+35°C)
Op stalen frame	✓
Olie afscheider	✓
Olie level systeem AC&R	✓
Kijk glas	✓
m ³ / h	222,2
Package / Rack	✓
Afmetingen	2000x800x1250 mm (LxWxH)
Stock	1



Description

Used Dorin K1500CB-01 (x2) & H2000CS (x1)

Gebruikte Dorin K1500CB-01 (x2) & H2000CS (x1) semi-hermetische zuigercompressorinstallatie op Freon. Compleet met AC&R S-1903 olieafscheider, Carly HCYR 121 oliereservoir en AC&R olieniveausystemen. De compressoren hebben een totale verplaatsing van 222,2 m³/h.







