

Sabroe SAB 163 HF MK 2 (x2)

Specifications

Merk	Sabroe
Type	SAB 163 HF MK 2 (x2)
Koudemiddel	NH 3 (ammonia)
kW at -10°C/+40°C	1197
kW at -20°C/+40°C	770,2
kW at -30°C/+40°C	467,2
kW at -40°C/+40°C	260,2
Elektromotor Specs	75 kW at 2955 RPM
Onbelaste aanloop	✓
Capaciteits Controle	✓
Op stalen frame	✓
Druk veiligheids schakelaars	✓
Olie afscheider	✓
Magneet Afsluiter	✓
Schakelkast	✓
Opmerkingen	# Including Unisab S-controls // Electromotor: 75 kW at 2955 RPM
Package / Rack	✓
Afmetingen	2300x3000x2150 mm (LxWxH)
Stock	1



Description

Used Sabroe SAB 163 HF MK 2 (x2)

Gebruikt Sabroe SAB 163 HF MK 2 (x2) ammoniak compressorrek, compleet met onbelaste start, capaciteitsregeling, drukbeveiligingsschakelaars, olieafscheider, magneetventiel en bedieningspaneel. Deze unit heeft een koelvermogen van 1197 kW bij -10°C/+40°C.





