

Bitzer VII Condensing Unit

Specifications

Merk	Bitzer
Type	VII Condensing Unit
Koudemiddel	Freon
kW at -5°C/+40°C	33,3*
kW at -10°C/+40°C	24,7
kW at -20°C/+40°C	15,7
kW at -30°C/+40°C	9,3
kW at -40°C/+40°C	4,7
Op stalen frame	✓
Opmerkingen	*Capacity is approx / Based on Compr. Type VIIW at 40°C
Opmerkingen	R404a - R22 or other freon types
Condensing Unit	✓
Afmetingen	1300x1070x900 mm (LxWxH)
1360	For more information refer to the pdf page 9 of 12
Stock	1






Description

Used Bitzer VII Condensing Unit

Gebruikte Bitzer VII (s / n: 267 022) / 42,0-58,0 m³ / h / 23,0 bar / 365 - 505 RPM // Elektromotor VEM KMER 132, M4 / 5 kW / 220/380 V / 14 , 35 RPM // Bitzer F 310 - Volume 30L // 2x elektrische ventilatoren: 1x NICOTRA- 3 ~ / 60Hz / 400V / 0,86 A. Max / 300W / 1310 RPM // 1x Copeland 230D / 400Y / 3 ~ 50 / 1.1 / 065A // Poelie grootte 500 mm







Your partner for used commercial and
industrial refrigeration equipment
