

## Grasso V-3 (screw)

### Specifications

|                         |                                   |
|-------------------------|-----------------------------------|
| Merk                    | Grasso                            |
| Type                    | V-3 (screw)                       |
| Koudemiddel             | NH 3 (ammonia)                    |
| kW at -30°C/+40°C       | 443*                              |
| Elektromotor Specs      | 250                               |
| Op stalen frame         | ✓                                 |
| Vloeistof tank          | ✓                                 |
| Vloeistof tank ltr.     | 43                                |
| Suction accumulator     | ✓                                 |
| Olie afscheider         | ✓                                 |
| Olie level systeem AC&R | ✓                                 |
| Filter droger           | ✓                                 |
| Kijk glas               | ✓                                 |
| Opmerkingen             | *Capacity based on NH3 at -35/+35 |
| Package / Rack          | ✓                                 |
| Afmetingen              | 4050x1560x2260 mm (LxWxH)         |
| Stock                   | 1                                 |



### Description

#### Used Grasso V-3 (screw)

Gebruikte NH3 ammoniak luchtgekoelde waterchiller Grasso V-3, deze waterchiller heeft de volgende componenten: 1x Schroefcompressor Grasso V-3 (s / n: V 0261/4 07533), Electromotor Birkenbeul 5AP100L-4 (s / n: 681605/4 kW bij 1430 tpm), elektromotorschuiver KN7317L-ABO1B-Z (s / n: 28465701/2) 50 Hz, 250 kW, 400 V, 420 A, 2975 tpm, 380-420 V, olieafscheider GTIM (volume 30L), warmtewisselaar GEA M57-50-G2G2X (s / n: 57711071114004)





