

Bitzer 4G-20.2Y-40P (x2) + 4EC-6.2Y-40S (x3) Cool/freeze installation

Specifications

Merk	Bitzer
Type	4G-20.2Y-40P (x2) + 4EC-6.2Y-40S (x3) Cool/freeze installation
Koudemiddel	Freon
kW at -5°C/+40°C	158.3
kW at -10°C/+40°C	131.3
kW at -20°C/+40°C	85.6
kW at -30°C/+40°C	52.9
kW at -40°C/+40°C	28.2
Onbelaste aanloop	✓
Capaciteits Controle	✓
Op stalen frame	✓
Druk veiligheids schakelaars	✓
Manometers	✓
Schakelkast	✓
Package / Rack	✓
Stock	1



Description

Used Bitzer 4G-20.2Y-40P (x2) + 4EC-6.2Y-40S (x3) Cool/freeze installation

Gebruikt maar nog steeds in zeer goede staat: complete Bitzer / Carrier koel / vriesunit, bestaande uit de volgende hoofdcomponenten: 2 koel / vries Semi-hermetische zuigercompressoren type 4G-20.2Y-40P + 3 koel / vries Semi-hermetische zuigercompressoren 4EC-6.2Y-40S, elektronische olievloters, olieafscheider, centraal aanzuigspuitstuk en schakelbord met compleet regelsysteem. * Waarom kiezen voor HOSBV? We waren niet

alleen de grootste specialist in gebruikte koeling in Europa, maar we leveren ook alle apparatuur, inclusief een uitgebreide test, garantie en industriële reiniging. * Optioneel kunnen we ook een nieuwe verfbeurt uitvoeren en de logistiek regelen.



