

Maneurop MTZ56HL4AVE (x3) condensing unit

Specifications

Merk	Maneurop
Type	MTZ56HL4AVE (x3) condensing unit
Koudemiddel	Freon
kW at +10°C/+40°C	64.38
kW at 0°C/+40°C	42.87
kW at -5°C/+40°C	34.20
kW at -10°C/+40°C	26.76
kW at -20°C/+40°C	15.15
kW at -30°C/+40°C	7.08
Op stalen frame	✓
Vloeistof tank	✓
m3 / h	16.73
Opmerkingen	Our capacity table is based on Manufacturer spec. We would like to know which refrigerant is in your system
Gewicht in kg.	150
Package / Rack	✓
Condensing Unit	✓
Stock	2




Description

Used Maneurop MTZ56HL4AVE (x3) condensing unit

Gebruikte Danfoss-Maneurop MTZ56HL4AVE (x3) condensor met scrollcompressor. U kunt deze compressor (en) ook gebruiken op alternatieve typen Freon. Voor alle andere specificaties (indien beschikbaar), zie de afbeelding van het typeplaatje van de fabrikant of het bijgevoegde pdf-bestand. * Waarom kiezen voor HOSBV? We waren niet alleen de grootste specialist in gebruikte koeling in Europa, maar we leveren ook alle apparatuur, inclusief een uitgebreide test, garantie en industriële reiniging. * Optioneel kunnen we ook een nieuwe verfbeurt uitvoeren en de logistiek regelen.





Cooling capacity [W]

t _c \ t _e	-30	-25	-20	-15	-10	-5	0	5	10
30	3 487	4 805	6 438	8 424	10 801	13 608	16 883	20 664	24 991
35	2 894	4 170	5 733	7 620	9 871	12 523	15 616	19 187	23 275
40	2 366	3 581	5 053	6 823	8 928	11 406	14 297	17 638	21 468
45	1 912	3 045	4 408	6 041	7 980	10 265	12 934	16 025	19 578
50	1 539	2 572	3 806	5 281	7 036	9 107	11 535	14 358	17 613
55	-	2 169	3 255	4 554	6 104	7 943	10 110	12 643	15 582
60	-	1 845	2 764	3 866	5 192	6 779	8 666	10 891	13 493

Power input [W]

t _c \ t _e	-30	-25	-20	-15	-10	-5	0	5	10
30	2 204	2 563	2 908	3 225	3 501	3 724	3 881	3 958	3 943
35	2 302	2 672	3 034	3 375	3 682	3 942	4 143	4 272	4 315
40	2 369	2 753	3 137	3 506	3 849	4 152	4 402	4 587	4 692
45	2 404	2 808	3 219	3 622	4 004	4 354	4 658	4 904	5 077
50	2 410	2 838	3 280	3 721	4 149	4 551	4 913	5 224	5 469
55	-	2 844	3 322	3 806	4 284	4 742	5 168	5 549	5 871
60	-	2 828	3 346	3 878	4 410	4 929	5 424	5 879	6 284