

Dorin K3000CB tank aggregate

Specifications




Merk	Dorin
Type	K3000CB tank aggregate
Koudemiddel	Freon
kW at -20°C/+40°C	50.50
kW at -30°C/+40°C	32.30
kW at -40°C/+40°C	19.20
Op stalen frame	✓
Vloeistof tank	✓
Olie afscheider	✓
Filter droger	✓
m3 / h	126,7
Opmerkingen	Our capacity table is based on Manufacturer spec. We would like to know which refrigerant is in your system
Stock	2




Description

Used Dorin K3000CB tank aggregate

Gebruikt Dorin compressortankaggregaat met compressor K3000CB, en bestaande componenten (zie foto's) "* Waarom kiezen voor HOSBV? Waren niet alleen de grootste specialist in gebruikte koeling in Europa, maar we leveren ook alle apparatuur, inclusief een uitgebreide test, garantie en industriële reiniging. Optioneel kunnen we verzend- en exportdocumenten regelen. "





PERFORMANCE DATA
Q = REFR. CAPACITY (WATT)

R404A/R507

LEISTUNGSWERTE
P = POWER INPUT (KW)

Modello Model Modell	T. cond. Cond. temp. °C	Temperature Evapor. - Evaporating temperatur. - Temp. Evapor. - Verdampfungstemp.											
		°C											
		Q	C	S	B	X							
		P	+10°	+5°	0°	-5°	-10°	-15°	-20°	-25°	-30°	-35°	-40°
K2500CB	+35°	W							35230	28065	22000	16890	12670
		KW							14.4	12.5	10.6	8.9	7.2
	+45°	W							29155	23000	17900	13600	10000
		KW							17.2	15	12.9	10.8	8.8
K3000CC	+35°	W	109610	92530	77670	64720	53480	43750	35360				
		KW	20.6	21.2	21.1	20.4	19.25	17.8	16.2				
	+45°	W	92680	78210	65550	54490	44860	36510	29300				
		KW	26.3	25.7	24.6	23.1	21.3	19.3	17.2				
K3000CS	+35°	W				77590	64420	53040	43200	34790	27630	21470	16425
		KW				28.7	26.5	24.3	21.8	19.4	17	15	12.9
	+45°	W				64675	53660	44080	35810	28700	22640	17500	13175
		KW				31.9	29.2	26	23	20	17.4	14.8	12.4
K3500CC	+35°	W	135850	114950	96730	80670	67110	55200	44920				
		KW	33.6	31.7	29.6	27.9	26	24.1	21.9				
	+45°	W	113470	96050	80820	67510	55920	45870	37200				
		KW	38.5	36.1	33.4	31	28.6	26	23.5				
K3000CB	+35°	W							50900	40670	32300	25100	19200
		KW							25	22.2	19.5	17.2	14.8
	+45°	W							41860	33550	26460	20460	15400
		KW							26.2	23	20	17	14.2
K4000CC	+35°	W	155620	131680	110810	92650	76880	63220	51460				
		KW	38.5	36.3	34	32	29.8	27.6	25.2				
	+45°	W	129690	110030	92590	77340	64060	52550	42620				
		KW	44.1	41.3	38.3	35.5	32.7	29.9	26.9				
K4500CS	+35°	W				99995	83020	68355	55675	44840	35610	27670	21170
		KW				35.9	33.2	30.3	27.3	24.3	21.3	18.77	16.15
	+45°	W				83350	69150	56810	46150	36990	29170	22560	16980
		KW				39.9	36.47	32.5	26.7	25.1	21.8	18.6	15.5
K4700CS	+35°	W				111090	92060	75640	61480	49370	39095	30445	23260
		KW				38.6	36.1	32.9	29.4	25.9	22.5	19.3	16.4
	+45°	W				90345	74630	61015	49290	39265	30770	23650	17760