

Bitzer 6FE-40Y-40P (x4)

Specifications

Marka	Bitzer
Typ	6FE-40Y-40P (x4)
Typ produktu	Water Cooled Chiller
Ogólna wydajność w kW	334,5
Ogólna wydajność w	95,1
Tonaż	
Czynnik chłodzący	Freon
Typ czynnika chłodzącego	R 134a
Rozmiary	3750x1700x1800 mm (LxWxH)
Compressor(s) type & model	4x Bitzer 6FE-40Y-40P
Uwagi	Capacity based on 0°C/+35°C
Remarks	y.o.b. 2012
Stock	2



Description

Used Bitzer 6FE-40Y-40P (x4)

Used Bitzer 6FE-40Y-40P (x4) watercooled chiller. Complete with Ciat shell and tube condensor freon shell side 60 liter and glycol tube side 39 liter. Shell and tube evaporator, Swep plate heat exchanger, liquid receiver 20 liter and oil separator 16 liters. Capacity based on 0°C/+35°C.

*All components of this used chiller will be tested on good working, leak free condition (condensing blocks), compressors, fans, control panel, etcetera). Choosing HOSBV means buying with warranty. We perform an industrial cleaning. Also, we can arrange your shipment.



CE0029		Installation contenant du gaz à effet de serre fluoré relevant du Protocole de Kyoto	
FLUIDES / VLOEISTOF / FLUSSIGKEIT		Service technique PROFROID USINE	
Huile / Oil / Öl Secondaire / Secondair / Sekundär		Technicien N°	
Type / Typ	ESTER EAU GLYCOLEE 40%	Primaire / Primair / Primär	
Quantité	15 Litres	R134a	
PS & TS > LP	BAR °C	50	KG
PS & TS > HP	BAR °C	9	BAR 27 °C
PUISSANCES / VERMOGEN		30.8	BAR 55 °C
Frigo / Verkoelend / Kühl	Electrique / Elektrisch / Elektrisch	DATE DE MISE EN SERVICE	
167 kW 76 kw 400V triphase	ON - OFF / Ein - Aus	05/11/2012	
Interrupleur n° / Schakelaar nr / Schalter nr		DESIGNATION	
Tableau N° / Bord nr / Tabelle nr		PROFROID : CR4SH8FE40WC	
Fusible n° / Zekering nr / Sicherungs nr		4701-020	Centrale positive B
		0000010077	







