

Sabroe SMC 116 L MK2

Specifications

Marka	Sabroe
Typ	SMC 116 L MK2
Czynnik chłodzący	NH 3 (ammonia)
Refrigerant type	R717
kW at +10°C/+40°C	1444,7
kW at 0°C/+40°C	955,5
kW at -5°C/+40°C	760,3
kW at -10°C/+40°C	594,2
Silnik elektryczny Specs	75 kW - 1472 RPM
Podstawa na stalowej ramie	✓
Ciśnieniowe przełączniki bezpieczeństwa	✓
Wskaźniki ciśnienia	✓
Separator oleju	✓
Okno widokowe	✓
m ³ / h	1.093
Rozmiary	2730x1320x1760 mm (LxWxH)
Stock	2



Description

Used Sabroe SMC 116 L MK2

Used Sabroe SMC 116 L compressor unit. This compressor unit has the following components: Sabroe SMC 116 L MK2 reciprocating compressor. Strömberg Ab HXUR 505G2 B3 (75 kW at 1472 RPM) electromotor. Oil separator 150 Liter. Pressure safety switches and gauges. Cooling capacity based on booster conditions with 75 kW electromotor is -40°C/-10°C - 176,6 kW and -30°C/0°C - 301,5 kW. Compressor can run as single cooling purpose condition with another capacity electromotor.

*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning. *If requested we are happy to arrange



Your partner for used commercial and
industrial refrigeration equipment

your logistics.



