

Carrier 30 RA 120 B0597-PEE

Specifications

Marka	Carrier
Typ	30 RA 120 B0597-PEE
Typ produktu	Air Cooled Chiller
Ogólna wydajność w kW	115,0
Ogólna wydajność w	32,7
Tonaż	
Czynnik chłodzący	Freon
Typ czynnika chłodzącego	R407C
Liquid buffer tank	✓
Waga kg.	1167
Rozmiary	2278x1070x1329 mm (LxWxH)
Compressor(s) type & model	Performer SZ161T4VC (x2) en SZ120S4VC (x2)
Display	Pro-dialog plus
Number of fans	2
Fan specifications	Carrier CM29G/T 50 Hz, 0,9 kW, 700 RPM
Uwagi	y.o.b: 2007
Stock	1




Description

Used Carrier 30 RA 120 B0597-PEE


Used Carrier 30RA120-B0597-PEE air cooled chiller. Complete with 2 Performer SZ161T4VC compressors and 2 SZ120S4VC compressors. One plate heat-exchanger. Condensor with 2 Carrier axial fans with a total airflow of 8840 l/s and a Pro-dialog plus control. Single pump. One 12 liter expansion vessel. And two liquid line filter driers.

*All components of this used chiller will be tested on adequate performance, leak free condition (condensing blocks), compressors, fans, control panel, and so forth). Choosing HOSBV means buying with warranty. We perform an industrial cleaning. *If requested we are happy to arrange your shipment.









Carrier					
3 ~ CM29G/T					
N°806444			2009		
IP 55	cl.F	50 °C amb	Cp : 6/400	μF / V	
IK	kg	S1	c/h Cd :	μF / V	
V	Hz	min-1	kW	Cos φ	A
Δ 400	50	700	0,9	0,62	3,9
Y 400	50	600	0,45	0,74	1,7
Y 400	50	300	0,12	0,8	2
DK12AB033EE					
IEC 34-1					
MADE IN FRANCE					





