

# Güntner GACC CX 040.1/1-70.E-1845743M

## Specifications

|                                           |                                  |
|-------------------------------------------|----------------------------------|
| Marka                                     | Güntner                          |
| Typ                                       | GACC CX<br>040.1/1-70.E-1845743M |
| Ogólna wydajność w kW                     | 6,2                              |
| Czynnik chłodzący                         | CO2                              |
| Liczba wentylatorów                       | 1                                |
| Średnica wentylatora<br>mm                | 7                                |
| Rozmrażanie                               | Electric                         |
| Przepływ powietrza w<br>m <sup>3</sup> /h | 3.060                            |
| Rozmiary                                  | 980x570x550 mm<br>(LxWxH)        |
| Uwagi                                     | Y.o.b. 2020                      |
| Volume                                    | 4,2 dm <sup>3</sup>              |
| Waga                                      | 45 kg                            |
| Stock                                     | 2                                |



## Description

### Used Güntner GACC CX 040.1/1-70.E-1845743M

In good condition Güntner GACC CX 040.1/1-70.E-1845743M CO2 evaporator build in 2020 with electric defrost. Complete with 1 fan - 50/60 Hz - 0,19/0,26 kW - 1310/1450 RPM and a total airflow of 3.060 m<sup>3</sup>/h.

\*All components of this used evaporator will be tested on good working, leak free condition (electro engines), coils, bearings) Choosing HOSBV means buying with warranty. We perform a industrial cleaning and rust spots will be covered. Also, we can arrange your shipment.



|                                                                                                                                                        |                                        |                 |
|--------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------|-----------------|
| <p>Güntner GmbH &amp; Co. KG<br/>Hans-Güntner-Strasse 2 - 6<br/>52256 Friesenfeld-Druck<br/>www.guenter.de</p> <p><b>EAC</b></p> <p><b>GÜNTNER</b></p> |                                        |                 |
| Projektnummer - Project number                                                                                                                         | 101126283                              |                 |
| Druckgerätebezeichnung - Pressure equipment type                                                                                                       | GACC CX 040.1/1-70 E-1845743M          |                 |
| UI Nummer - UI number                                                                                                                                  | 247.1845743                            |                 |
| Seriennummer - Serial number                                                                                                                           | 504137520/15.00873                     |                 |
| Herstellungsjahr - Year of manufacture                                                                                                                 | 2020                                   |                 |
| Ventilator/ID/Drehzahl/Stromaufn. - Fan/ID/Speed/Current                                                                                               | VT0605 / 1734 / 1310 min-1 / 0.85 A    |                 |
| Umgebungstemperatur - Ambient air temperature                                                                                                          | -30 °C / +50 °C                        |                 |
| Volumen - Volume (V)                                                                                                                                   | 4.2 l                                  |                 |
| Max. zulässiger Druck (PS)                                                                                                                             | 80 / 0 bar                             | 0 / -1 bar      |
| Max. permissible pressure (PS)                                                                                                                         |                                        |                 |
| Zulässige min./max. Temperatur (TS)                                                                                                                    | -50 °C / +100 °C                       | -50 °C / +40 °C |
| Permissible min./max. temperature (TS)                                                                                                                 |                                        |                 |
| Prüfdruck (PT) / Prüfmedium                                                                                                                            | 114.4 bar / Druckluft - Compressed air |                 |
| Test pressure (PT) / Test medium                                                                                                                       | 2020-04-08                             |                 |
| Prüfdatum - Test date                                                                                                                                  | 2 / gasförmig - gaseous                |                 |
| Fluidgruppe / Zustand - Group of fluid / State                                                                                                         |                                        |                 |



