

Grasso RC 311

Specifications

Marka	Grasso
Typ	RC 311
Czynnik chłodzący	Freon
kW at 0°C/+40°C	683,7
kW at -5°C/+40°C	563,3
kW at -10°C/+40°C	457,0
kW at -20°C/+40°C	284,9
kW at -30°C/+40°C	159,1
Podstawa na stalowej ramie	✓
Ciśnieniowe przełączniki bezpieczeństwa	✓
Wskaźniki ciśnienia	✓
Obiornik cieczy	✓
Obiornik cieczy ltr.	2275
Separator oleju	✓
Poziom oleju w systemie	✓
Osuszający filter lini cieczy	✓
Okno widokowe	✓
m3 / h	924
Package / Rack	✓
Rozmiary	4820x2400x3000 mm (LxWxH)
Stock	1




Description




Used Grasso RC 311

Used Grasso RC 311 unit. Containing the follow elements: 2 Grasso RC 311 reciprocating compressors with 2 Leroy-Somer 75 kW - 1465 RPM electromotors, 1 Bitzer 6G-40.2Y Semi-hermetic reciprocating compressor with a Leroy-Somer 30 kW -1445 RPM electromotor. Witt Liquid receiver with a volume of 2275 Liter with 2 pumps. 3 Oil seperators, Pressure and safety switches/gauges and liquid line filter driers.

*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning. Optional we can arrange the logistics.











Your partner for used commercial and
industrial refrigeration equipment
