

Bitzer 4FC-5.F1Y-40S

Specifications

Marka	Bitzer
Typ	4FC-5.F1Y-40S
Typ produktu	Air Cooled Chiller (split-unit)
Ogólna wydajność w kW	23,6
Ogólna wydajność w	6,7
Tonaż	
Czynnik chłodzący	Freon
Typ czynnika chłodzącego	R404a
Liquid buffer tank	✓
Pump	✓
Waga kg.	250
Rozmiary	2350x1370x2050 mm (LxWxH)
Compressor(s) type & model	Bitzer 4FC-5.F1Y-40S
Uwagi	Y.o.b. 2010
Remarks	Capacity of 1.400 ltr/h cold water 17°C to 2/4°C
Stock	1



Description

Used Bitzer 4FC-5.F1Y-40S

Used Bitzer 4FC-5.F1Y-40S split water chiller. Complete with a Bitzer 4FC-5.F1Y-40S varispeed semi-hermetic reciprocating compressor with liquid receiver 20 ltr and liquid line filter. Water reservoir made out of sandwich panels 70 mm with a volume of 1.500 ltr, inside a plate heat exchanger Alfa Laval AC-70X-50M. WILO pump and pressure and safety switches/gauges. Capacity based on (+2°C/+40°C). Total capacity of 1.400 ltr/h cold water 17°C to 2/4°C.

*All components of this used chiller will be tested on adequate performance, leak free condition (condensing blocks), compressors, fans, control panel, and so forth). Choosing HOSBV means buying with warranty. We perform a industrial cleaning. if requested we can



Your partner for used commercial and
industrial refrigeration equipment

arrange your shipment.







