

Bitzer 4FE-5.F1Y-40S Condensing unit

Specifications

Marka	Bitzer
Typ	4FE-5.F1Y-40S Condensing unit
Czynnik chłodzący	Freon
kW at 0°C/+40°C	19,0
kW at -5°C/+40°C	16,5
kW at -10°C/+40°C	14,2
kW at -20°C/+40°C	9,95
kW at -30°C/+40°C	6,39
kW at -40°C/+40°C	3,70
kW at -45°C/+40°C	2,69
Podstawa na stalowej ramie	✓
Ciśnieniowe przełączniki bezpieczeństwa	✓
Wskaźniki ciśnienia	✓
Obiornik cieczy	✓
Obiornik cieczy ltr.	21
m3 / h	18,0
Uwagi	Y.o.b. 2016
Condensing Unit	✓
Rozmiary	1380x690x1670 mm (LxWxH)
Stock	1



Description

Used Bitzer 4FE-5.F1Y-40S Condensing unit

Used Bitzer LHV5E condensing unit build in 2016. Complete with a Bitzer 4FE-5.F1Y-40S Semi-hermetic reciprocating compressor, Bitzer F212N3 liquid receiver 21 Liter, condenser with 1 EBM-Papst fan - 50 Hz - 0,34 kW - 1100 RPM and a control panel.

*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and an industrial cleaning.

*Optionally we can also perform a new paint job and arrange the logistics.



