

Bitzer W4TA

Specifications

Marka	Bitzer
Typ	W4TA
Czynnik chłodzący	NH 3 (ammonia)
Refrigerant type	R717
kW at +10°C/+40°C	49,7
kW at 0°C/+40°C	32,3
kW at -5°C/+40°C	25,2
kW at -10°C/+40°C	18,8
Podstawa na stalowej ramie	✓
Ciśnieniowe przełączniki bezpieczeństwa	✓
Wskaźniki ciśnienia	✓
Obiornik cieczy	✓
Separator oleju	✓
Okno widokowe	✓
Zawór elektromagnetyczny	✓
m3 / h	19,0 - 47,4
Uwagi	y.o.b. 2004
Package / Rack	✓
Rozmiary	3330x1700x1980 mm (LxWxH)
Stock	1






Description

Used Bitzer W4TA

Used Bitzer W4TA Open-Type Reciprocating Compressors. Complete with liquid receiver NH3 Ammonia and a DAB pomp k20/41m, Oil separator and Pressure safety switches and gauges.

*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning.

*Optional we can also perform a new paint job and arrange the logistics.



Typ W4TA

S.Nr. 1665201039

BITZER KÜHLMASCHINENBAU GMBH

Made in E.C.

Fördervolumen m³/h	Drehzahl min ⁻¹
19,0-47,4	700-1750
	*

ND/HD	max.	19	/ 25	bar
-------	------	----	------	-----

78022/01

