

Bitzer S6H-20.2Y-40P (x3) Condensing unit

Specifications

Marka	Bitzer
Typ	S6H-20.2Y-40P (x3) Condensing unit
Czynnik chłodzący	Freon
kW at -30°C/+40°C	82,5
kW at -40°C/+40°C	58,8
kW at -45°C/+40°C	48,3
Kontrolka wydajności	✓
Podstawa na stalowej ramie	✓
Ciśnieniowe przełączniki bezpieczeństwa	✓
Wskaźniki ciśnienia	✓
Obiornik cieczy	✓
Obiornik cieczy ltr.	50
Separator oleju	✓
Poziom oleju w systemie	✓
Osuszający filter lini cieczy	✓
Okno widokowe	✓
m3 / h	220,8
Uwagi	Y.o.b. 2013
Condensing Unit	✓
Rozmiary	3400x1100x2270 mm (LxWxH)



Stock

1


Description

Used Bitzer S6H-20.2Y-40P (x3) Condensing unit


Used SCM Frigo UMC 3x150 MT multi compressor condensing unit on Freon. Complete with 3 Bitzer S6H-20.2Y-40P two-stage semi-hermetic reciprocating compressors each with its own SWEP B8THx16/1P-sc-M Plate heat exchanger as sub cooler, condenser with 3 EBM-papst fans - 50 Hz - 1,94/1,21 kW - 880/670 RPM - diameter 800 mm and copper aluminium coils with protection filter, OCS RLSTD50 liquid receiver with a volume of 50 Liter, oil separator, Frigo RH-168,3X1460 collect tube, pressure and safety switches/gauges and a Carel pGD control panel.

*Why choose for HOSBV? We're not only the largest used refrigeration specialist in Europe, but also, we solely deliver our orders after performing an extensive test and an industrial cleaning. If requested we are happy to arrange your logistics.




















Your partner for used commercial and
industrial refrigeration equipment

