

Bitzer 4DC-7.2Y-40S Condensing unit

Specifications

Marka	Bitzer
Typ	4DC-7.2Y-40S Condensing unit
Czynnik chłodzący	Freon
kW at 0°C/+40°C	21,1
kW at -5°C/+40°C	17,5
kW at -10°C/+40°C	14,3
kW at -20°C/+40°C	9,3
kW at -30°C/+40°C	5,5
Rozładunek	✓
Kontrolka wydajności	✓
Podstawa na stalowej ramie	✓
Obiornik cieczy	✓
Obiornik cieczy ltr.	18 liter
Separator oleju	✓
Osuszający filter lini cieczy	✓
Okno widokowe	✓
m ³ / h	26,84 m ³ /h
Condensing Unit	✓
Rozmiary	1450x810x800 mm (LxWxH)
Stock	1



Description

Used Bitzer 4DC-7.2Y-40S Condensing unit

Used Bitzer condensing unit complete with a Bizer 4DC-7.2Y-40S semi-hermetic reciprocating compressor, a Liquid receiver of 18 liter, a oil separator, liquid line filter drier and sight glasses. The air is distributed by 2 fans with a diameter of 450 mm and 1500 rpm at 50 Hz. The displacement of this condensing unit is 26,84 m³/h.

*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning.

*Optional we can also perform a new paint job and arrange the logistics.







