

Bitzer 6H-25.2Y-40P (x1) / 4VCS-10.2Y-40P (x1) Condensing unit

Specifications

Marka	Bitzer
Typ	6H-25.2Y-40P (x1) / 4VCS-10.2Y-40P (x1) Condensing unit
Czynnik chłodzący	Freon
kW at -5°C/+40°C	97,4
kW at -10°C/+40°C	83,2
kW at -20°C/+40°C	52,2
kW at -30°C/+40°C	31,6
kW at -40°C/+40°C	16,7
Rozładunek	✓
Kontrolka wydajności	✓
Podstawa na stalowej ramie	✓
Ciśnieniowe przełączniki bezpieczeństwa	✓
Wskaźniki ciśnienia	✓
Obiornik cieczy	✓
Obiornik cieczy ltr.	90 liter
Separator oleju	✓
Osuszający filter lini cieczy	✓
Okno widokowe	✓
Panel kontrolny	✓
m3 / h	145,2 m ³ /h



Uwagi	Y.O.B. 2008
Condensing Unit	✓
Rozmiar	4150x1300x3000 mm (LxWxH)
Stock	1

Description

Used Bitzer 6H-25.2Y-40P (x1) / 4VCS-10.2Y-40P (x1) Condensing unit

Used Bitzer condensing unit. This unit is complete with 1x Bitzer 6H-25.2Y and 1x 4VCS-10.2Y semi-hermetic reciprocating compressors, liquid receiver with contents of 90 liters, oil separator, liquid line filter drier, heat exchanger, pressure gauges Hp/Lp/Op and sight glasses. Air cooled Alfa Laval BCMS633CD CR condensor with 3 fans. Control panel with 2x Kimo MotorMaster frequency regulators. *All components of this used condensers will be tested on good working, leak free condition (electro engines), condensing block, bearings. Choosing HOSBV means buying with warranty. We perform a industrial cleaning and rust spots will be covered. Also, we can arrange your shipment.

















