

Kuba CA.S06-1X2I

Specifications

Marka	Kuba
Typ	CA.S06-1X2I
Typ produktu	Air Cooled Condenser
Ogólna wydajność w kW	67,3
Liczba wentylatorów	2
Prdkość obrotów wentylatora (obr/min)	680/500
Czynnik chłodzący	Freon
Przepływ powietrza w m ³ /h	14.400
wentylatory o średnicy Ø 650 mm	
Objętość rurki	288 dm ³
Rozmiary	3200x620x1060 mm (LxWxH)
Waga	299 kg
Uwagi	Y.o.b. 2008
Stock	1



Description

Used Kuba CA.S06-1X2I

Used Küba CA.S06-1X2I air cooled condenser on Freon. Complete with 2 Süd-Electric fans 50 Hz - 0,40/0,22 kW - 500/680 RPM - diameter 670 mm and a total airflow of 14.400 m³/h.

*All components of this used evaporator will be tested on good working, leak free condition (electro engines), coils, bearings) Choosing HOSBV means buying with warranty. We perform a industrial cleaning and rust spots will be covered. Also, we can arrange your shipment.



GEA Küba Kältetechnik GmbH	
Oberdiller Straße 23 - D-82065 Balerbrunn - Tel.: 089 / 74473-0 - Fax: 089 / 74473-218	
Typ / Modell	Artikel-Nr. / Article-No.: 3030.0612.S3
CA.S06-1X2I MIT VENT.E.400V	
LAGERPROGRAMM EIN=54;AUS=42	
Herstell.-Nr. Manufact.No.	10006056 / 2008 / 00076505 / 1
Ventilator(en) Fan(s)	400V-3-50HZ P Ges. Vent. Total Fans 800 W
el. Heizung el. Defrost	P Ges. Heizung Total Defrost 0 W
Rohrinhalt Tube Volume	0.00 ltr el. Anschlußwert gesamt el. Connection Value Total P Gesamt Total 800 W
CE	
max. zul. Druck max. all. Pressure	PS max 32 bar Fluid Gruppe Fluid Group 2
max. zul. Temp. max. all. Temp.	TS max 100 °C min. zul. Temp. min. all. Temp. TS min -40 °C



