

Goedhart DVS-p-42507

Specifications

Marka	Goedhart
Typ	DVS-p-42507
Ogólna wydajność w kW	23,4 kW
Czynnik chłodzący	CO2
Liczba wentylatorów	2
Średnica wentylatora mm	7
Rozmrażanie	None
Podwójny odpływ	✓
Przepływ powietrza w m ³ /h	16.874 m ³ /h
Rozmiary	2450x1500x830 mm (LxWxH)
Uwagi	Y.O.B. 2014
Volume	21,3 dm ³
Waga	237 kg
Stock	2



Description

Used Goedhart DVS-p-42507

Used Goedhart DVS-p-42507 double discharge evaporator on CO2 build in 2014. Complete with 2 Ziehl-Abegg fans - 50 Hz - 0,84/0,54 kW - 1340/940 RPM - diameter 500 mm and a total airflow of 16.874 m³/h.

*All components of this used evaporator will be tested on good working, leak free condition (electro engines), coils, bearings) Choosing HOSBV means buying with warranty. We perform a industrial cleaning. Also, we can arrange your shipment.



GEA Goedhart B.V.
 Nijverheidsweg 6, 4695 RC Sint Maartensdijk
 The Netherlands
 Tel: +31(0) 166 665 665 www.goedhart.nl

GEA

Man.no:	PJV142565		
Type:	DVS-p-42507		
Number:	2	of	18
Year:	2014		
Client ref:	511386/12075		
M:	230	kg	TS: +6/-3 °C
V:	21	dm ³	PS: 40 bar
			PT: 58 bar
Fluid:	CO2		

Goedhart Made in the EC



