

Bitzer OSKA 7461-K (x3)

Specifications

Marka	Bitzer
Typ	OSKA 7461-K (x3)
Typ produktu	Water Cooled Chiller
Ogólna wydajność w kW	787,0*
Ogólna wydajność w	223,8
Tonaż	
Czynnik chłodzący	NH 3 (ammonia)
Typ czynnika chłodzącego	R717
Pump	✓
Rozmiary	4000x1800x2420 mm (LxWxH)
Compressor(s) type & model	3x Bitzer OSKA 7461-K
Uwagi	Y.o.b. 2006
Remarks	*Capacity based on: +5°C/+35°C
Stock	1



Description

Used Bitzer OSKA 7461-K (x3)

Used Bitzer OSKA 7461-K water cooled chiller on NH3. Complete with 3x Bitzer OSKA 7461-K open screw compressors, 2x Leroy-Somer PLES200LU-T - 50 Hz - 55 kW - 2960 RPM & 1x 2EC OPD200L-2 - 50 Hz - 55 kW - 2960 RPM elektromotors, Alfa Laval N10-BWFDR plate heat exchanger with a water side volume of 24 dm³ and NH3 side volume of 23,4 dm³, Pressko AG - 55.611H.262.1.1 evaporator with a shell side (NH3) volume of 323 dm³ and a plate side (Water) volume of 70 dm³, Bitzer OA9011A oil separator, Alfa Laval ALFANOVAHP76-64H plate heat exchanger as oil cooler, AC-Motoren water pump, pressure and safety gauges and a control panel. Capacity based on +5°C/+35°C.

*All components of this used chiller will be tested on adequate performance, leak free condition (condensing blocks),



compressors, fans, control panel, and so forth). Choosing HOSBV means buying with warranty. We perform a industrial cleaning. if requested we can arrange your shipment.















