

Bitzer HSN 6451-40-40P

Specifications

Marka	Bitzer
Typ	HSN 6451-40-40P
Czynnik chłodzący	Freon
kW at -20°C/+40°C	72,6
kW at -30°C/+40°C	49,8
kW at -40°C/+40°C	32,2
kW at -45°C/+40°C	25,0
Podstawa na stalowej ramie	✓
Ciśnieniowe przełączniki bezpieczeństwa	✓
Wskaźniki ciśnienia	✓
Obiornik cieczy	✓
Obiornik cieczy ltr.	150
Separator oleju	✓
Osuszający filter lini cieczy	✓
Zawór elektromagnetyczny	✓
m3 / h	140,0
Uwagi	Y.o.b. 2006
Uwagi	Please note: we will only offer this as complete blastfreezing solution with capacity matching condensor and evaporators.



Waga kg.	851
Rozmiary	2610x740x1650 mm (LxWxH)
Stock	1

Description

Used Bitzer HSN 6451-40-40P

Used Bitzer HSN 6451-40-40P semi-hermetic screw compressor with economizer on Freon. Complete with a Güntner GBH 150 Liter liquid receiver, plate heat exchanger as economizer, Bitzer OA1854 oil separator with a volume of 40 liter, Grundfos UPS 25-60 circulating pump, liquid line filter drier, pressure and safety switches/gauges, control box and a Glycol buffer tank for an underfloor heating system. This compressor unit worked with 2 Goedhart VCI-125610-E evaporators with a capacity of 35,0 kW.

Please note: we will only offer this as complete blastfreezing solution with capacity matching condensor and evaporators.

*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning.

*Optional we can also perform a new paint job and arrange the logistics





