

Mycom N6HK

Specifications

Marka	Mycom
Typ	N6HK
Czynnik chłodzący	NH 3 (ammonia)
kW at +10°C/+40°C	174,6
kW at 0°C/+40°C	112,4
kW at -5°C/+40°C	86,9
kW at -10°C/+40°C	65,3
Podstawa na stalowej ramie	✓
Ciśnieniowe przełączniki bezpieczeństwa	✓
Wskaźniki ciśnienia	✓
Przełączniki kondensacji ciśnienia	✓
Separator oleju	✓
Okno widokowe	✓
Zawór elektromagnetyczny	✓
Panel kontrolny	✓
m ³ / h	212,5
Uwagi	Y.o.b. 2008
Waga kg.	1500
Rozmiary	1850x1200x1900 mm (LxWxH)
Stock	2



Description

Used Mycom N6HK

Good as new Mycom N6HK open type reciprocating compressor on NH3. Complete with a Leroy Somer PLS250MP-T electromotor - 50 Hz - 90 kW - 1469 RPM, Mayekawa MAA 2565-40 oil separator with a volume of 58 liters, Danfoss VLT Compact Starter MCD 202 softstarter, control box and a Micro Innovation AG XVS-430-57MPI-1-10 display. This compressor is started, tested and dismantled.

*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we solely deliver our orders after performing an extensive test and an industrial cleaning. If requested we are happy to arrange your logistics.







