

DWM D3DS5-150X-AWM/D

Specifications

Marka	DWM
Typ	D3DS5-150X-AWM/D
Czynnik chłodzący	Freon
kW at 0°C/+40°C	128,6
kW at -5°C/+40°C	107,6
kW at -10°C/+40°C	89,2
kW at -20°C/+40°C	59,5
kW at -30°C/+40°C	37,7
kW at -40°C/+40°C	21,6
Podstawa na stalowej ramie	✓
Obiornik cieczy	✓
Obiornik cieczy ltr.	115
Separator oleju	✓
Poziom oleju w systemie	✓
Osuszający filter lini cieczy	✓
Okno widokowe	✓
m3 / h	149,7
Package / Rack	✓
Rozmiary	2620x1900x1140 mm (LxWxH)
Stock	1



Description

Used DWM D3DS5-150X-AWM/D

Used DWM D3DS5-150X-AWM/D compressor rack on Freon. Complete with 3 DWM D3DS5-150X-AWM/D semi-hermetic reciprocating compressors, Friga Bohn BSV 115 liquid receiver with a capacity of 115 liters, Friga Bohn oil separator, Temprite 926L oil filter, oil level system, liquid line filter drier and a sight glass.

*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning. *If requested we are happy to arrange your shipment.









