

Bitzer 6H-35.2Y-40P (x2)

Specifications

Marka	Bitzer
Typ	6H-35.2Y-40P (x2)
Czynnik chłodzący	Freon
kW at 0°C/+40°C	178,5
kW at -5°C/+40°C	148,2
kW at -10°C/+40°C	121,8
kW at -20°C/+40°C	79,2
kW at -30°C/+40°C	47,7
kW at -40°C/+40°C	25,0
Kontrolka wydajności	✓
Podstawa na stalowej ramie	✓
Ciśnieniowe przełączniki bezpieczeństwa	✓
Wskaźniki ciśnienia	✓
Przełączniki kondensacji ciśnienia	✓
Obiornik cieczy	✓
Obiornik cieczy ltr.	180
Separator oleju	✓
Poziom oleju w systemie	✓
Osuszający filter lini cieczy	✓
Zawór elektromagnetyczny	✓
m3 / h	221,0
Uwagi	Y.o.b. 2009



Package / Rack	✓
Rozmiary	1730x1350x2020 mm (LxWxH)
Stock	1

Description

Used Bitzer 6H-35.2Y-40P (x2)

Used Bitzer 6H-35.2Y-40P semi-hermetic reciprocating compressor on Freon. Complete with a AC&R oil separator, AC&R S-9108U-CE oil reservoir, 2 Frigomec FL 90+2SGR7+2SV(R9/R9) liquid receivers, liquid line filter driers and a control cabinet with a Eckelmann VS300.

*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning. *Optional we can also perform a new paint job and arrange the logistics













