

Bitzer 6F-50.2Y-40P Condensing unit

Specifications

Marka	Bitzer
Typ	6F-50.2Y-40P Condensing unit
Czynnik chłodzący	Freon
kW at 0°C/+40°C	121,7
kW at -5°C/+40°C	101,3
kW at -10°C/+40°C	83,6
kW at -20°C/+40°C	55,0
kW at -30°C/+40°C	33,9
kW at -40°C/+40°C	18,6
Obiornik cieczy	✓
Obiornik cieczy ltr.	79
Okno widokowe	✓
Panel kontrolny	✓
m ³ / h	151,6
Power	50hz/60hz 3Ph
Uwagi	Y.o.b. 2005
Condensing Unit	✓
Rozmiary	2300x1240x2620 mm (LxWxH)
Stock	2



Description

Used Bitzer 6F-50.2Y-40P Condensing unit

Used Bitzer air cooled condensing unit on Freon. Complete with 1 Bitzer 6F-50.2Y-40P semi-hermetic reciprocating compressor, condensor with 9 Ziehl-Abegg FN050-VDS-4I-V7P1 fans - 50 Hz - 0,83/0,55 kW - 1330/940 - 1,45/0,97 A - diameter 500 mm, Bitzer F732N liquid receiver with a volume of 79 liter and a control cabinet with a Danfoss ADAP-KOOL AK2-CC 303A case controller. The compressor has a displacement of 151,6 m³/h.

*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and an industrial cleaning.

*Optionally we can also perform a new paint job and arrange the logistics.





